


Dual-purpose
NEBITYPE
face-finishing
machine

2



Canadian Linotype Company

431 BERRY ST., WINNIPEG 12, MAN.
Phone Turner 8-7983

TORONTO - VANCOUVER - CALGARY - EDMONTON
LONDON - OTTAWA - MONTREAL - HALIFAX

LINOTYPE

Ornamental characters and rules with the

dual-purpose Nebitype face-finishing machine

1 Face-finishing

This machine can be used to remove any imperfections which may occur on the larger sizes of typefaces.

By positioning the micrometer head, the operator can adjust the depth of trim of the knife.

The polished slugs give excellent results for reproduction work.

2 Knurling

By means of an attachment fitted to the machine, ornamental characters and rules can be produced.


A wide selection of knurls is available.



The slug is placed in the slug clamp and fixed by means of the locking handle.


A movable trimming head embodies an adjustable finishing knife. The head is traversed over the slug by means of a handle.

The trimming head is lifted. The knurl is lowered by actuating the head of the ornamental attachment. The ornamental characters and rules are obtained by carrying out the same traversing movement as for face-finishing



Length 22¹/₂ inches
Width 11¹/₂ inches
Height (approx.) 11 inches
Net weight 52 kg
Maximum trimming knife movement 12¹/₂ inches
Maximum slug length 42 ems

Slugs cast on line casting machines other than the Nebitype can be similarly treated on the new dual-purpose machine



BS 16/P

BD 20/RP

BF 20/P

BS 29/P

NEBITYPE Torino

BD 20/RP

NEBITYPE Torino

BM 20/P

NEBITYPE Torino

BM 50/P

NEBITYPE S.p.A. TORINO - ITALIA Via Bologna 47 - tel. 851.847